



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities of the United States.*

**ALABAMA—Mobile.**—Month of July, 1899. Estimated population, 37,817. Total number of deaths, 97, including enteric fever, 1, and 13 from phthisis pulmonalis.

Month of August, 1899. Total number of deaths, 96, including enteric fever, 4, and 7 from phthisis pulmonalis.

Month of September, 1899. Total number of deaths, 71, including enteric fever, 1, and 8 from phthisis pulmonalis.

**IOWA—Burlington.**—Month of September, 1899. Estimated population, 30,000. Total number of deaths, 26, including enteric fever, 1, and 2 from phthisis pulmonalis.

*Carroll.*—Estimated population, 3,000. No deaths and no contagious diseases.

*Cedar Falls.*—Estimated population, 6,000. Total number of deaths, 6, including 1 from whooping cough.

*Corydon.*—Estimated population, 1,600. Total number of deaths, 2, including 1 from phthisis pulmonalis.

*Davenport.*—Estimated population, 40,000. Total number of deaths, 31, including enteric fever, 1, and 2 from phthisis pulmonalis.

*Des Moines.*—Estimated population, 72,000. Total number of deaths, 51, including enteric fever, 4, and 5 from phthisis pulmonalis.

*Fairfield.*—Estimated population, 4,500. Total number of deaths 7. No deaths from contagious diseases.

*Lemars.*—Estimated population, 4,036. Total number of deaths, 3. No deaths from contagious diseases.

*Mitchelville.*—Estimated population, 500. Total number of deaths, 1.

**Nevada.**—Month of August, 1899. Estimated population, 1,662. Total number of deaths, 9. No deaths from contagious disease.

*Ottumwa.*—Estimated population, 20,000. Total number of deaths, 11, including 2 from enteric fever.

*Sibley.*—Estimated population, 1,090. No deaths.

**Sioux City.**—Estimated population, 37,000. Total number of deaths, 47, including diphtheria, 4; enteric fever, 2, and 2 from phthisis pulmonalis.

**Storm Lake.**—Estimated population, 2,500. Total number of deaths, 3, including 1 from phthisis pulmonalis.

The Iowa Health Bulletin says:

Outbreaks of infectious diseases were reported for September as having occurred at the following points:

*Diphtheria.*—Glenwood, Oskaloosa, Lyon Township, Mills County; Jacobson Township, Washington County; Lincoln Township, Warren County; Boone Owasa, Centerville, Sioux City, Le Claire, Ottumwa.

*Scarlet fever.*—Lincoln Township, Warren County; Sac City; Cedar Township, Sac County; Holman Township, Osceola County; Springfield Township, Cedar County; Bennett, Corning, Pocahontas; Jackson Township, Jones County.

*Typhoid fever*.—Kirkville, Arion; Franklin Township, Story County; Jefferson Township, Poweshiek County; Tremont Township, Benton County; Burlington, Davenport, Des Moines, Ottumwa, Sioux City, Storm Lake, Ottumwa.

*Whooping cough*.—Farragut, Cedar Falls, Storm Lake, Denison.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended October 21, 1899, from 63 observers indicate that remittent fever and bronchitis increased and dysentery decreased in area of prevalence. Phthisis pulmonalis was reported present at 207, enteric fever at 123, scarlet fever at 63, diphtheria at 27, whooping cough at 17, measles at 15, cerebro-spinal meningitis at 6, and smallpox at 5 places.

NEW JERSEY—*Passaic*.—Four weeks ended October 14, 1899. Census population, 13,028. Total number of deaths, 56, including 1 from enteric fever.

OHIO—*Columbus*.—Month of September, 1899. Estimated population, 140,000. Total number of deaths, 107, including enteric fever, 4, and 17 from phthisis pulmonalis.

TEXAS—*Laredo*.—Month of September, 1899. Estimated population, 14,000. Total number of deaths, 21, including 6 from phthisis pulmonalis.

WASHINGTON—*Tacoma*.—Month of September, 1899. Estimated population, 50,000. Total number of deaths, 26, including 2 from phthisis pulmonalis.

WISCONSIN—*Milwaukee*.—Month of September, 1899. Estimated population, 285,000. Total number of deaths, 262, including diphtheria, 10; enteric fever, 5; scarlet fever, 3; whooping cough, 2, and 32 from phthisis pulmonalis.